5759983/2022/VIG-I-PRR01

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

P.S. - PR&RD Department - Allegations of irregularities in execution of Road works under NREGS in Srikakulam and Vizianagaram Districts – Charges framed against Sri B.V.V. Satyanarayana Murthy, former Executive Engineer, PRI Division, Parvathipuram, Vizianagaram District (Retd. on 31.01.2014) – Inquiry conducted - Charged Officer expired on 05.09.2020 – Further action abated under Rule 9 (7) of A.P. Revised Pension Rules, 1980 in all respects - Orders – Issued

---

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No. 387 **Dated.13.04.2022.**

Read the following:-

1. From the ENC, PR, Letter No. Vig. I ()/1001/2015, Dated: 04.08.2015.
2. G.O.Ms.No.35, PR&RD (Vig. I) Department, Dt: 12.05.2016
3. G.O.Rt.No.460,PR&RD (Vig. I) Department, Dt: 12.05.2016.
4. G.O.Rt.No.470, PR&RD (Vig.I) Department, Dt.12.05.2016.
5. From the ENC,PR, Letter No. Vg. I (1)/ 1001/15, dated: 23.11.2018.
6. G.O.Rt.No.419,PR&RD(Vig.I) Department, Dt: 13.06.2019.
7. From the ENC,PR & Inquiry Authority, Letter No. ENC (PR)/1001/Enquiry Report/2015, dated: 24.03.2021.
8. From the ENC,PR, Letter NO. Vig. I (1)/1001/2015, dated: 15.03.2022.

-o0o-

ORDER:

In the reference 2nd read above, Government have accorded sanction under sub-clause (1) of clause (b) of sub-rule (2) of Rule 9 of A.P. Revised Pension Rules, 1980 to initiate disciplinary proceedings against Sri B.V.V. Satyanarayana Murthy, former Executive Engineer (PR) (Retd. on 31.01.2014) for certain allegation of irregularities in execution of the following road work during his tenure as Executive Engineer, PR I Division, Vizianagaram District. Simultaneously, vide reference 3rd and 4th red above, Government have initiated common disciplinary proceedings under Rule 24 of A.P.C.S (CC&A) Rules, 1991 duly framing following article of charge under Rule 20 of above against him, with a direction to submit his written statement of defence.

Charge:

That Sri B.V.V.Satynarayana Murthy, the then Executive Engineer, PRI Division, Parvathipuram, Vizianagaram district during his tenure as Executive Engineer, PRI Division, Parvathipuram, executed providing internal roads with CC drains in SC/ST colonies in Gottiwada (GP Gottiwada of Kurupam Mandal), under MGNREGS during 2012-13 and committed certain

(P.T.O)

irregularities like (i) deficiency in thickness of CC pavement is more than 20% and rejection and (ii) less depth of drain wall on R/S. He is responsible for misappropriation of Government funds to a tune of amount of Rs.65,718/-. Hence the Charge

2. In the reference 5th read above, the Engineer-in-Chief, PR has furnished dated acknowledgment copies according to which the charges were got served the charged officer Sri BV.V. Satyanarayana Murthy, Executive Engineer (Retd.) on 22.11.2018. But the charged officer has not submitted his defence statement.

3. Government after examination of the matter, have taken a decision to conduct regular inquiry into the matter. Accordingly, in the reference 6th read above, Government appointed the Engineer-in-Chief, Panchayat Raj, A.P, Vijayawada as the Inquiry Authority under Rule 20 (2) of A.P.C.S (CC&A) Rules, 1991 to conduct inquiry into the charges framed against the charged officer Sri B.V.V. Satyanarayana Murthy, Executive Engineer (Retd.) and against ten (10) other co-charged officers involved in the case.

4. In the reference 7th read above, the Inquiring Authority has submitted inquiry report dt:24.03.2021, wherein the Inquiry Officer, among others, has held that that the Executive Engineer, PR, Vigilance & Quality Control, Srikakulam in his re-inspection report dt:01.06.2020 has arrived the total recovery of Rs.37,530/- as against the previous recover proposed of Rs.65,718/-. The deficiencies are within tolerable limits and total recovery of Rs 37,530/- has been remitted and no financial loss. The Inquiry Authority has held that Charges against the charged officer Sri B.V.V. Satyanarayana Murthy, Executive Engineer (Retired) is not held proved.

5. In the reference 8th read above, the Engineer-in-Chief, PR, AP, Vijayawada among others, has informed that Sri B.V.V. Satyanarayana Muthy, former Executive Engineer (Retd.) was expired on 05.09.2020 and requested to communicate the orders in the above disciplinary case for taking further action in the matter.

6. Government , after examination of the matter, have accepted the finding of the Inquiry Authority dt: 24.03.2021 for the reasons recorded therein against the charged officer and to abate further action against the deceased in all respects.

7. Accordingly, Government hereby abate further action against Sri B.V.V. Satyanarayana Murthy, former Executive Engineer, PRI Division, Parvathipuram, Vizianagaram District (retired & expired) under rule 9(7) of A.P. Revised Pension Rules,1980, in all respects.

(continued on page 3)

8. The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada, shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECREARY TO GOVERNMENT

To
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
Smt. B. Vijaya Lakshmi, W/o. Sri B.V.V. Satyanarayana Murthy,
Executive Engineer (PR) (retired & expired)
H.No. 6-2-10, Dusarlapudi Vari Street, Suryaraopeta,
Kakinada Urban, E.G.Dist., Pin: 533001, A.P.
through Engineer in Chief, Panchayat Raj, A.P., Vijayawada.

Copy to:-
The Secretary to Vigilance Commission,
Andhra Pradesh Vigilance Commission, Velagapudi.
SF/SC.

//FORWARDED :: BY ORDER //

SECTION OFFICER